

シャフト径Φ14mm F35(soft) 25mm

ストローク量	FR40S(15mm)	F35S(20mm)	F35S(25mm)
1mm	10	6	3
2mm	24	13	9
3mm	39.5	19	14.5
4mm	55	26	20.5
5mm	73	32.5	26.5
6mm	97.5	40.5	33
7mm	138	50.5	40
8mm	192	62	46.5
9mm		77	53.5
10mm		97	60.5
11mm			68.5
12mm			78
13mm			93.5

kgf

初期接触面34mm



FR40S(高さ15mm)

初期接触面32mm




F35S(高さ20mm)

初期接触面32mm



F35S(高さ25mm)



F35S(ソフト)高さ25mm+Main

ストローク量	FR40 S	FBR40M	FBR45S	FBR45M
1mm	1	1.5	1.5	2
2mm	3	3.5	3	3.5
3mm	4.5	6	5	5.5
4mm	6.5	8	6.5	7.5
5mm	8.5	10.5	8.5	9.5
6mm	10.5	12.5	10	11.5
7mm	12	15	12	13.5
8mm	14	17	13.5	15.5
9mm	15.5	19	14.5	17
10mm	17.5	21	16	19
11mm	19	23.5	17.5	20.5
12mm	21	25	19.5	22.5
13mm	22.5	27	21	24.5
14mm	24	29	23	26
15mm	25.5	31	24.5	28
16mm	27	32.5	26	30
17mm	28	34	27.5	32
18mm	30	35.5	29	33.5
19mm	31.5	37.5	30	35
20mm	34	39	31.5	37
21mm	36.5	41	32.5	38.5
22mm	39	44.5	34	40
23mm	42	48	35.5	41.5
24mm	45	51	37	43
25mm	48.5	54.5	39.5	45
26mm	51.5	58.5	42	47.5
27mm	55	61.5	45	50
28mm	59	65.5	48	53
29mm	63	70	50.5	56.5
30mm	68	76	54	60
31mm	73	82.5	56.5	63.5
32mm	79.5	88.5	59.5	67
33mm	85	96.5	63.5	71.5
34mm	93	105	66.5	75.5
35mm			70.5	81.5
36mm			75	86
37mm			80.5	92



FBR40ソフト



FBR40ミディアム

68mm



FBR45ソフト



FBR45ミディアム

74mm

kgf

